

Biolab Medical Unit

9 Weymouth Street, London W1W 6DB, England

Telephone: (+44) 020-7636 5959/5905 Fax: (+44) 020-7580 3910 E-mail: info@biolab.co.uk Internet: www.biolab.co.uk

Biolab reference: RGLW/EOXF/A15

Patient: MR PAOLO DRUSI

Date: 09-01-2015

DOB: 02-02-1971

Your reference:

Sex: MALE

Doctor: DR E O'FLAHERTY

Sample Date: 06-01-2015

EOFLAHERTY@GMAIL.COM

Plasma and Red Cell Elements

Element	Result	Units	Reference interval
<u>Plasma:</u>			
Calcium	2.45	mmol/L	2.10 - 2.60
Chromium	13.8	nmol/L	6.2 - 33.4
Copper	13.8	μmol/L	12.5 - 25.0
Iron (Male)	24.7	μmol/L	14.3 - 38.0
Magnesium	0.93	mmol/L	0.70 - 1.00
Manganese	15.1	nmol/L	9.0 - 40.0
Selenium	1.64	μmol/L	1.00 - 1.90
Zinc	8.4	μmol/L	11.5 - 20.0
<u>Red Cells:</u>			
Red Cell Magnesium	1.74	mmol/l	2.08 - 3.00

Biolab Medical Unit

9 Weymouth Street, London W1W 6DB, England

Telephone: (+44) 020-7636 5959/5905 Fax: (+44) 020-7580 3910 E-mail: info@biolab.co.uk Internet: www.biolab.co.uk

Biolab reference: RGLW/EOXF/A15

Patient: MR PAOLO DRUSI

Date: 09-01-2015

DOB: 02-02-1971

Your reference:

Sex: MALE

Doctor: DR E O'FLAHERTY

Sample Date: 06-01-2015

EOFLAHERTY@GMAIL.COM

Functional Blood B Vitamins

B6 PYRIDOXINE (EGOT activation)

1.28

Status: **NORMAL**

< 1.75 normal

1.75 - 2.00 borderline

> 2.00 deficient

Results expressed as ratio of activated to basal activity in IU/gHb.

Reference: Mount JN, Heduan E, Herd C, et al. Ann. Clin. Biochem. 1987; 24: 41-46.



Biolab Medical Unit

9 Weymouth Street, London W1W 6DB, England

Telephone: (+44) 020-7636 5959/5905 Fax: (+44) 020-7580 3910 E-mail: info@biolab.co.uk Internet: www.biolab.co.uk

Biolab reference: RGLW/EOXF/A15

Patient: MR PAOLO DRUSI

Date: 09-01-2015

DOB: 02-02-1971

Your reference:

Sex: MALE

Doctor: DR E O'FLAHERTY

Sample Date: 06-01-2015

EOFLAHERTY@GMAIL.COM

Sample	Test	Result	Units	Reference interval
PLASMA	HISTAMINE	9.9	nmol/L	1.8 - 9.0
URINE	KRYPTOPYRROLES	0.02	UNITS	Up to 0.08
KRYPTOPYRROLES CORRECTED FOR OSMOLALITY		0.03	UNITS PER 1,000 mOsmol/Kg	